

POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

DIA-KILL® 200

HERBICIDE

ACTIVE CONSTITUENT: 200 g/L DIQUAT
present as DIQUAT DIBROMIDE MONOHYDRATE

GROUP L HERBICIDE

For pre-harvest crop desiccation and the control of a wide range of broadleaf weeds in certain crops as per Directions for Use.

For application through aircraft and ground equipment.


IMPORTANT:
READ THE ATTACHED BOOKLET
BEFORE USING THIS PRODUCT



Sinon Australia Pty Limited ACN 102 741 024
327 High Street, Golden Square, VIC 3555
TEL: 03 5441 8907

CONTENTS
20 LITRES

APVMA APPROVAL NO: 60297/62335



DIA-KILL® 200

HERBICIDE

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. **DO NOT** contaminate seed, feed or foodstuff. **DO NOT** re-use container for any purpose. This container can be recycled if it is clean, dry, free of visible residues and has the **drumMUSTER** logo visible. Triple rinse container for disposal. Dispose of rinsate by adding it to the spray tank. **DO NOT** dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any **drumMUSTER** collection point or similar container management program site. The cap should not be replaced but may be taken separately. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers and product.

SAFETY DIRECTIONS

Very dangerous. Poisonous if absorbed by skin contact, inhaled or swallowed. Will irritate the eyes, nose, throat and skin. Avoid contact with eyes and skin. **DO NOT** inhale spray mist. When preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves, face shield or goggles, and half-face respirator or disposable respirator. If clothing becomes contaminated with product or wet with spray, remove clothing immediately. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and face shield or goggles, respirator and if rubber wash with detergent and warm water, and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 131126). If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet (SDS), which is available from the supplier.

NOTICE TO BUYER

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. No warranty of merchantability for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under abnormal conditions

BIPYRIDILIUM PESTICIDES, LIQUID, TOXIC, N.O.S
(Contains Diquat)

UN NO: 3016

PG III
HAZCHEM 2X



IN A TRANSPORT EMERGENCY
DIAL 000
POLICE OR FIRE BRIGADE

FOR SPECIALIST ADVICE
1800 033 111
24 HOURS AUSTRALIA WIDE

Do not eat, drink or smoke when using this product.
May cause damage to organs through prolonged or repeated exposure.



® Registered Trademark of Sinon Australia Pty Limited
APVMA Approval No: 60297/62335



Batch No:

Date of Manufacture:

DIAKILL200LT-0020-1116

