

DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SINMAS[®] 225

INSECTICIDE

ACTIVE CONSTITUENT: 225g/L METHOMYL
(an anti-cholinesterase compound)
SOLVENT: 644g/L METHANOL

GROUP 1A INSECTICIDE

For the control of certain insect pests as recommended in the Directions for Use table in the attached Label Booklet

**IMPORTANT:
READ THE ATTACHED BOOKLET
BEFORE USING THIS PRODUCT**



Sinon Australia Pty Limited ACN 102 741 024
327 High Street, Golden Square, VIC 3555
TEL: 03 5441 8907

**CONTENTS
20 LITRES**

APVMA APPROVAL NO: 60419/107734

SINMAS® 225

INSECTICIDE

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. **DO NOT** contaminate seed, feed or foodstuff. **DO NOT** re-use container for any purpose. This container can be recycled if it is clean, dry, free of visible residues and has the **drumMUSTER** logo visible. Triple rinse container for disposal. Dispose of rinsate by adding it to the spray tank.

DO NOT dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any **drumMUSTER** collection point or similar container management program site. The cap should not be replaced, but may be taken separately. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers and product.

SAFETY DIRECTIONS

Very dangerous, particularly the concentrate. Product and spray are poisonous if absorbed by skin contact, or inhaled or swallowed. Attacks eyes. Will irritate the nose, throat and skin. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes, skin and clothing. **DO NOT** inhale vapour or spray mist. Protect eyes while using. When opening the container and preparing the spray, wear elbow-length PVC gloves and face shield. When using the prepared spray, wear:

- cotton overalls buttoned to the neck and wrist; • washable hat;
- impervious footwear; and • elbow-length PVC gloves;
- half face-piece respirator with combined dust and gas cartridge (canister)

If clothing becomes contaminated with product or wet with spray, remove clothing immediately. If product or spray on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield, respirator (if rubber, wash with detergent and warm water) and contaminated clothing.

FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons information Centre (Phone Australia 13 11 26) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

ADVICE TO DOCTOR

Methomyl produces effects associated with anti-cholinesterase activity. Atropine sulphate should be used for treatment. Administer repeated doses 1.2 to 2.0 mg intravenously every 10-30 minutes until full atropinization is achieved.

DO NOT use morphine or 2-PAM. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitors until recovery is assured.

SAFETY DATA SHEET (SDS)

Additional information is listed in the SDS, which is available from the supplier.

NOTICE TO BUYER

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. No warranty of merchantability for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under abnormal conditions.

Keep away from heat, sparks, open flames and hot surfaces.

No smoking.

Do not eat, drink or smoke while using this product

Take precautionary measures against static discharge

Use only outdoors or in a well ventilated area

If swallowed: Rinse mouth and do NOT induce vomiting

In case of a fire, use carbon dioxide, dry chemical, foam, water fog.

Alcohol resistant foam is the preferred firefighting medium but, if not available, normal foam can be used

APVMA Approval No: 60419/107734



SINMAS225LT-0020-1016



Batch No:

Date of Manufacture:

**CARBAMATE PESTICIDES,
LIQUID, FLAMMABLE, TOXIC, N.O.S,
flash point less than 23°C
(CONTAINS METHOMYL AND METHANOL)**



**UN NO. 2758
PG II
HAZCHEM 3WE**

**IN A TRANSPORT EMERGENCY
DIAL 000
POLICE OR FIRE BRIGADE**

**FOR SPECIALIST ADVICE
1800 033 111
24 HOURS AUSTRALIA WIDE.**