

SECTION 1 - IDENTIFICATION OF THE MATERIAL AND SUPPLIER**Sinon Australia Pty Ltd**Level 7, 60 York Street
Sydney NSW 2000 AUSTRALIA

Phone: 03 5441 8907

Fax: 03 4408 4664

info@sinon.com.au

Chemical nature: Atrazine is a 1,3,5-triazine derivative.

Trade Name: **Sinon Atrazine 900 WG Herbicide**

APVMA Code: 68875

Product Use: Agricultural herbicide for use as described on the product label.

Creation Date: **October, 2014**

This version issued: **April, 2023** and is valid for 5 years from this date.

SECTION 2 - HAZARDS IDENTIFICATION**Statement of Hazardous Nature****SUSMP Classification:** S5**ADG Classification:** Class 9: Miscellaneous Dangerous Goods.**UN Number:** 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.**GHS Signal word: WARNING**

Skin sensitisation – category 1

Specific target organ toxicity (repeated exposure) – category 2

Hazardous to the aquatic environment (chronic) – category 1

HAZARD STATEMENT:

H317: May cause an allergic skin reaction.

H373: May cause damage to organs through prolonged or repeated exposure.

H410: Very toxic to aquatic life with long lasting effects.

PREVENTION

P102: Keep out of reach of children.

P261: Avoid breathing dusts.

P262: Do not get in eyes, on skin, or on clothing.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves, protective clothing and eye or face protection.

RESPONSE

P314: Get medical advice or attention if you feel unwell.

P363: Wash contaminated clothing before reuse.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P333+P313: If skin irritation or rash occurs: Get medical advice.

P391: Collect spillage.

P370+P378: In case of fire, use carbon dioxide, dry chemical, foam, water fog.

STORAGE

P410: Protect from sunlight.

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

DISPOSAL

P501: Dispose of contents and containers as specified on the registered label.

Emergency Overview**Physical Description & Colour:** Granulated solid.**Odour:** No data re odour.**SAFETY DATA SHEET**

Major Health Hazards: Atrazine may be harmful to humans and to animals. It can be absorbed orally, dermally, and by inhalation. Symptoms of poisoning include abdominal pain, diarrhoea and vomiting, eye irritation, irritation of mucous membranes, and skin reactions. This product is a possible skin sensitiser due to Atrazine content.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	CAS No	Conc, %	TWA (mg/m ³)	STEL (mg/m ³)
Atrazine	1912-24-9	900g/kg	5	not set
Other non hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

SECTION 4 - FIRST AID MEASURES

General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: No first aid measures normally required. However, if inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

Skin Contact: Gently brush away excess particles. Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until chemical is removed.

Eye Contact: Quickly and gently brush particles from eyes. No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

Ingestion: If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

SECTION 5 - FIRE FIGHTING MEASURES

Fire and Explosion Hazards: The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids. This product, if scattered, may form flammable or explosive dust clouds in air.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: In case of fire, use carbon dioxide, dry chemical, foam, water fog.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade. Cool closed, undamaged containers exposed to fire with water spray. Do not scatter spilled material with high pressure water jets.

Flammability Class: No data.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. No special recommendations for clothing materials. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that dusts are likely to build up in cleanup area, we recommend that you use a suitable Dust Mask. Otherwise, not normally necessary.

Stop leak if safe to do so, and contain spill. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Consider vacuuming if appropriate. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

SAFETY DATA SHEET

SECTION 7 - HANDLING AND STORAGE

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits	TWA (mg/m³)	STEL (mg/m³)
Atrazine	5	not set

The ADI for Atrazine is set at 0.005mg/kg/day. The corresponding NOEL is set at 0.5mg/kg/day. ADI means Acceptable Daily Intake; NOEL means No-observable-effect-level. Data from Australian ADI List, June 2013.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

Eye Protection: Eye protection such as protective glasses or goggles is recommended when this product is being used.

Skin Protection: If you believe you may have a sensitisation to this product or any of its declared ingredients, you should prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

Protective Material Types: We suggest that protective clothing be made from the following materials: PVC.

Respirator: If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable Dust Mask. Otherwise, not normally necessary.

Safety deluge showers should, if practical, be provided near to where this product is being handled commercially.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES:

Physical Description & colour:	Granulated solid.
Odour:	No data re odour.
Boiling Point:	Not available.
Flash point:	No data
Upper Flammability Limit:	No data.
Lower Flammability Limit:	No data.
Autoignition temperature:	No data.
Freezing/Melting Point:	No specific data. Atrazine melts at 176°C.
Volatiles:	No specific data. Expected to be low at 100°C.
Vapour Pressure:	Negligible at normal ambient temperatures.
Vapour Density:	Not applicable.
Specific Gravity:	No data. Bulk density about 0.9
Water Solubility:	Dispersible/wettable.
pH:	No data.
Volatility:	Negligible at normal ambient temperatures.
Odour Threshold:	No data.
Evaporation Rate:	Not applicable.
Coeff Oil/water Distribution:	No data
Particle Characteristics:	Granules.
Autoignition temp:	No data.

SAFETY DATA SHEET

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

Incompatibilities: strong acids, strong bases, strong oxidising agents.

Fire Decomposition: Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. May form nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: This product will not undergo polymerisation reactions.

SECTION 11 - TOXICOLOGICAL INFORMATION

Toxicity: An information profile for Atrazine is available at <http://extoxnet.orst.edu/pips/ghindex.html>

Acute toxicity: Atrazine may be harmful to humans and to animals. It can be absorbed orally, dermally, and by inhalation. Symptoms of poisoning include abdominal pain, diarrhoea and vomiting, eye irritation, irritation of mucous membranes, and skin reactions. The oral LD₅₀ for atrazine is 3090 mg/kg in rats, 1750 mg/kg in mice, 750 mg/kg in rabbits, and 1000 mg/kg in hamsters. The dermal LD₅₀ in rabbits is 7500 mg/kg and greater than 3000 mg/kg in rats. The 1-hour inhalation LC₅₀ is greater than 0.7 mg/L in rats. The 4-hour inhalation LC₅₀ is 5.2 mg/L in rats.

Chronic toxicity: Some 40% of rats receiving oral doses of 20 mg/kg/day for 6 months died with signs of respiratory distress and paralysis of the limbs. Structural and chemical changes in the brain, heart, liver, lungs, kidney, ovaries, and endocrine organs were observed. Rats fed 5 or 25 mg/kg/day of atrazine for 6 months exhibited growth retardation. In a 2-year study with dogs, 7.5 mg/kg/day caused decreased food intake and increased heart and liver weights. At 75 mg/kg/day, there were decreases in food intake and body weight gain, increased adrenal weight, lowered blood cell counts, and occasional tremors or stiffness in the rear limbs.

Reproductive effects: Dietary doses of atrazine given to rats on days 3, 6 and 9 of gestation up to about 50 mg/kg/day caused no adverse reproductive effects.

Teratogenic effects: Atrazine does not appear to be teratogenic.

Mutagenic effects: The weight of evidence from more than 50 studies indicates that atrazine is not mutagenic.

Carcinogenic effects: Atrazine did not cause tumors when mice were given oral doses of 21.5 mg/kg/day from age 1 to 4 weeks, followed by dietary doses of 82 mg/kg for an additional 17 months. However, mammary tumors were observed in rats after lifetime administration of high doses of atrazine. Thus, available data regarding atrazine's carcinogenic potential are inconclusive.

Organ toxicity: Lethal doses of atrazine in test animals have caused congestion and/or hemorrhaging to the lungs, kidneys, liver, spleen, brain, and heart. Long-term consumption of high levels of atrazine has caused tremors, changes in organ weights, and damage to the liver and heart.

Fate in humans and animals: Atrazine is readily absorbed through the gastrointestinal tract. When a single dose of 0.53 mg atrazine was administered to rats by gavage, 20% of the dose was excreted in the faeces within 72 hours. The other 80% was absorbed across the lining of the gastrointestinal tract into the bloodstream. After 72 hours, 65% was eliminated in the urine and 15% was retained in body tissues, mainly in the liver, kidneys, and lungs. There is no data to hand indicating any particular target organs.

Atrazine is Classed by SWA as a potential sensitiser by skin contact.

Classification of Hazardous Ingredients

Ingredient	Health Hazard Statement Codes
Atrazine	H373, H317, H410
	<ul style="list-style-type: none">• Specific target organ toxicity (repeated exposure) – category 2• Skin sensitisation – category 1• Hazardous to the aquatic environment (acute) – category 1• Hazardous to the aquatic environment (chronic) – category 1

Potential Health Effects

Persons sensitised to Atrazine should avoid contact with this product.

Inhalation:

Short Term Exposure: Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

SAFETY DATA SHEET

Long Term Exposure: No data for health effects associated with long term inhalation.

Skin Contact:

Short Term Exposure: Classified as a potential sensitiser by skin contact. Exposure to a skin sensitiser, once sensitisation has occurred, may manifest itself as skin rash or inflammation, and in some individuals this reaction can be severe. In addition product may be irritating, but is unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term skin exposure.

Eye Contact:

Short Term Exposure: This product may be irritating to eyes, but is unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term eye exposure.

Ingestion:

Short Term Exposure: Significant oral exposure is considered to be unlikely. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

Long Term Exposure: No data for health effects associated with long term ingestion.

Carcinogen Status:

SWA: No significant ingredient is classified as carcinogenic by SWA.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: Atrazine is Class 3 - unclassifiable as to carcinogenicity to humans.

See the IARC website for further details. A web address has not been provided as addresses frequently change.

SECTION 12 - ECOLOGICAL INFORMATION

Very toxic to aquatic organisms, may cause long-term adverse effects to the aquatic environment.

Effects on birds: Atrazine is practically nontoxic to birds.

Effects on aquatic organisms: Atrazine is slightly toxic to fish and other aquatic life. Atrazine has a low level of bioaccumulation in fish. In whitefish, atrazine accumulates in the brain, gall bladder, liver, and gut.

Effects on other organisms: Atrazine is not toxic to bees.

Environmental Fate:

Breakdown in soil and groundwater: Atrazine is highly persistent in soil. Chemical hydrolysis, followed by degradation by soil microorganisms, accounts for most of the breakdown of atrazine. Hydrolysis is rapid in acidic or basic environments, but is slower at neutral pHs. Addition of organic material increases the rate of hydrolysis.

Breakdown in water: Atrazine is moderately soluble in water. Chemical hydrolysis, followed by biodegradation, may be the most important route of disappearance from aquatic environments. Hydrolysis is rapid under acidic or basic conditions, but is slower at neutral pHs. Atrazine is not expected to strongly adsorb to sediments.

Breakdown in vegetation: Atrazine is absorbed by plants mainly through the roots, but also through the foliage. Once absorbed, it is translocated upward and accumulates in the growing tips and the new leaves of the plant. In susceptible plant species, atrazine inhibits photosynthesis. In tolerant plants, it is metabolized.

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal: Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 <http://www.chemclear.com.au/> and for help with the disposal of empty drums, contact DrumMuster <http://www.drummuster.com.au/> where you will find contact details for your area.

SECTION 14 - TRANSPORT INFORMATION

Not subject to the ADG Code when transported by Road or Rail in Australia, in packages 500kg(L) or less; or IBCs, but classed as Dangerous by IATA and IMDG/IMSBC when carried by Air or Sea transport (see details below).

UN Number: 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Hazchem Code: 2Z

Special Provisions: 274, 331, 335, 375, AU01

Limited quantities: ADG 7 specifies a Limited Quantity value of 5 kg for this class of product.

Dangerous Goods Class: Class 9: Miscellaneous Dangerous Goods.

Packing Group: III

Packing Instruction: P002, IBC08, LP02

Class 9 Miscellaneous Dangerous Goods shall not be loaded in the same vehicle or packed in the same freight container with Dangerous Goods of Class 1 (Explosives).

SAFETY DATA SHEET

SECTION 15 - REGULATORY INFORMATION

AiIC: All of the significant ingredients in this formulation are compliant with AICIS regulations.
The following ingredient: Atrazine, is mentioned in the SUSMP.

SECTION 16 - OTHER INFORMATION

This SDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 th edition)
AiIC	Australian Inventory of Industrial Chemicals
SWA	Safe Work Australia, formerly ASCC and NOHSC
CAS number	Chemical Abstracts Service Registry Number
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
NOS	Not otherwise specified
NTP	National Toxicology Program (USA)
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons
UN Number	United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD STATEMENT: INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS. OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (July 2020) and GHS Revision 7
Copyright © Kilford & Kilford Pty Ltd, April, 2023.

<http://www.kilford.com.au> Phone (02)8321 8866

SAFETY DATA SHEET