

# **SECTION 1 - IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

## Sinon Australia Pty Ltd

Level 7, 60 York Street Sydney NSW 2000 AUSTRALIA Phone: 03 5441 8907 Fax: 03 4408 4664 info@sinon.com.au

Chemical nature:	Fluazifop is a 2-(4-aryloxyphenoxy)propionic acid derivative.	
Trade Name:	Rootout 212 Herbicide	
APVMA Number:	64609	
Product Use:	Agricultural herbicide for use as described on the product label.	
Creation Date:	June, 2011	
This version issued:	April, 2023 and is valid for 5 years from this date.	
Poisons Information Centre: Phone 13 1126 from anywhere in Australia		

## **SECTION 2 - HAZARDS IDENTIFICATION**

#### Statement of Hazardous Nature

SUSMP Classification: S6 ADG Classification: Class 9: Miscellaneous dangerous goods. UN Number: 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.





## GHS Signal word: DANGER.

Flammable liquids – category 4 Aspiration hazard – category 1 Reproductive toxicity – category 2

Hazardous to the aquatic environment (chronic) – category 1

#### HAZARD STATEMENT:

H227: Combustible liquid.

AUH066: Repeated exposure may cause skin dryness or cracking.

H304: May be fatal if swallowed and enters airways.

H361d: Suspected of damaging the unborn child.

H410: Very toxic to aquatic life with long lasting effects.

#### PREVENTION

P102: Keep out of reach of children.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P262: Do not get in eyes, on skin, or on clothing.

P273: Avoid release to the environment.

P280: Wear protective gloves, protective clothing and eye or face protection.

#### RESPONSE

P337: If eye irritation persists: seek medical attention.

P352: Wash with plenty of soap and water.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P308+P313: If exposed or concerned: Get medical advice.

P370+P378: In case of fire, note the following. Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used. Try to contain spills, minimise spillage entering drains or water courses.

#### STORAGE

P410: Protect from sunlight.

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

#### DISPOSAL

#### SAFETY DATA SHEET

Issued by: Sinon Australia Pty Ltd

Phone: 03 5441 8907 (office hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

#### P501: Dispose of contents and containers as specified on the registered label.

#### **Emergency Overview**

Physical Description & Colour: Clear, light brown coloured liquid.

Odour: Characteristic solvent odour.

**Major Health Hazards:** Fluazifop-p-butyl is not harmful orally or dermally. It is reported to cause only slight skin and mild eye irritation in rabbits, and no skin sensitization in guinea pigs. Possible risk of harm to the unborn child, if aspirated, may cause lung damage, repeated exposure may cause skin dryness or cracking.

## **SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredients	CAS No	Conc,%	TWA (mg/m <sup>3</sup> )	STEL (mg/m <sup>3</sup> )
Fluazifop-p butyl ester	79241-46-6	212g/L	not set	not set
Solvent naphtha (petroleum), light arom.	64742-95-6	636g/L	not set	not set
Other non hazardous ingredients	secret	to 100%	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

## **SECTION 4 - FIRST AID MEASURES**

#### **General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. **Skin Contact:** Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until chemical is removed.

**Eye Contact:** No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

## **SECTION 5 - FIRE FIGHTING MEASURES**

**Fire and Explosion Hazards**: This product is classified as a C1 combustible product. There is little risk of an explosion from this product if commercial quantities are involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids. Vapours from this product are heavier than air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. They may also flash back considerable distances.

Fire decomposition products from this product are likely to be toxic if inhaled. Take appropriate protective measures. **Extinguishing Media:** Try to contain spills, minimise spillage entering drains or water courses.

**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade. There is little danger of a violent reaction or explosion if significant quantities of this product are involved in a fire. Recommended personal protective equipment is full fire kit and breathing apparatus.

Flammability Class: Flammable Category 4 (GHS), C1 combustible (AS 1940)

## **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8).

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Because of the environmentally hazardous nature of this product, special care should be taken to restrict release to waterways or drains. Sweep up and shovel or collect recoverable product into labelled containers

#### SAFETY DATA SHEET

Issued by: Sinon Australia Pty Ltd Phone: 03 5441 8907 (office hours) Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

#### Product Name: Rootout 212 Herbicide Page: 3 of 6 SDS Date: April, 2023

for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

## **SECTION 7 - HANDLING AND STORAGE**

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Check packaging - there may be further storage instructions on the label.

## **SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION**

The following Australian Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

#### SWA Exposure Limits TWA (mg/m<sup>3</sup>)

#### STEL (mg/m<sup>3</sup>)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems. **Ventilation:** This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

**Eye Protection:** Eye protection such as protective glasses or goggles is recommended when product is being used. **Skin Protection:** You should avoid contact even with mild skin irritants. Therefore you should wear suitable impervious elbow-length gloves and facial protection when handling this product. See below for suitable types.

**Protective Material Types:** We suggest that protective clothing be made from the following: rubber, PVC. **Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above.

Safety deluge showers should, if practical, be provided near to where this product is being used.

## **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES:**

Volatiles: No specific data. Expected to be low at 100°C.
Volatiles.No specific data. Expected to be low at 100 C.Vapour Pressure:No data.
Vapour Density: No data.
Specific Gravity: 0.99 approx
Water Solubility: Emulsifiable.
<b>pH:</b> 5-7 (1% in water).
Volatility: No data.
Odour Threshold: No data.
Evaporation Rate: No data.
Coeff Oil/water Distribution: No data
Particle Characteristics: Not applicable to liquids.

#### SAFETY DATA SHEET

# **SECTION 10 – STABILITY AND REACTIVITY**

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

**Conditions to Avoid:** Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

**Incompatibilities:** strong acids, strong bases, strong oxidising agents.

**Fire Decomposition:** Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. Hydrogen fluoride gas and other compounds of fluorine. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

**Polymerisation:** This product will not undergo polymerisation reactions.

## **SECTION 11 - TOXICOLOGICAL INFORMATION**

**Toxicity:** The reported acute oral  $LD_{50}$  values for technical fluazifop-p-butyl are 3680 to 4096 mg/kg in male rats, and 2451 to 2721 mg/kg in female rats. Ingestion of large quantities may also cause problems in the central nervous system such as drowsiness, dizziness, loss of coordination, and fatigue. Fluazifop-p-butyl is not harmful via the dermal route as well. The reported dermal  $LD_{50}$  for the compound is greater than 2400 mg/kg in rabbits. The formulation Fusilade DX is reported to have similar acute toxicity via the dermal route, and does not cause skin sensitization in guinea pigs, but may cause moderate skin and mild eye irritation in rabbits. The formulation Fusilade DX is reported to have an 4-hour inhalation  $LC_{50}$  of greater than 0.54 mg/L in male rats and 0.77 mg/L in female rats, indicating moderate toxicity via the inhalation route. Breathing small amounts of the product Fusilade 2000 may cause vomiting and severe lung congestion; larger amounts may ultimately lead to laboured breathing, coma, and death. **Chronic toxicity:** Rats fed small amounts of fluazifop-p-butyl for 90 days developed no compound-induced effects at doses at or below 10 mg/kg/day.

Reproductive effects: No data are currently available.

Teratogenic effects: No data are currently available.

Mutagenic effects: Numerous tests have shown the compound to be nonmutagenic.

Carcinogenic effects: No data are currently available.

Organ toxicity: Organ toxicity has not been seen in experimental animals.

Fate in humans and animals: No data are currently available.

Fluazifop-p Butyl Ester is a SWA Class 3 Reproductive risk, possible risk of harm to the unborn child.

#### **Classification of Hazardous Ingredients**

#### Ingredient

Fluazifop-p Butyl Ester

Health Hazard Statement Codes H361d, H410

- Reproductive toxicity category 2
- Hazardous to the aquatic environment (acute) category 1
- Hazardous to the aquatic environment (chronic) category 1

Solvent naphtha (petroleum), light arom.

H304, H350, H340, H318, H315, H372

- Aspiration hazard category 1
  - Carcinogenicity category 1A
  - Germ cell mutagenicity category 1B
  - Eye irritation category 2A
  - Skin irritation category 2
  - Specific target organ toxicity (repeated exposure) category 1

#### **Potential Health Effects**

#### Inhalation:

**Short Term Exposure:** Available data indicates that this product is not harmful. In addition product is unlikely to cause any discomfort or irritation.

Long Term Exposure: No data for health effects associated with long term inhalation.

#### Skin Contact:

**Short Term Exposure:** Available data indicates that this product is not harmful. It should present no hazards in normal use. However product may be irritating, but is unlikely to cause anything more than mild transient discomfort. **Long Term Exposure:** No data for health effects associated with long term skin exposure.

## SAFETY DATA SHEET

Issued by: Sinon Australia Pty Ltd

Phone: 03 5441 8907 (office hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

## **Eye Contact:**

**Short Term Exposure:** This product may be irritating to eyes, but is unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term eye exposure.

#### Ingestion:

**Short Term Exposure:** Significant oral exposure is considered to be unlikely. Because of the low viscosity of this product, it may directly enter the lungs if swallowed, or if subsequently vomited. Once in the lungs, it is very difficult to remove and can cause severe injury or death. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

Long Term Exposure: No data for health effects associated with long term ingestion.

#### Carcinogen Status:

SWA: o significant ingredient is classified as carcinogenic by SWA.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: No significant ingredient is classified as carcinogenic by IARC.

## **SECTION 12 - ECOLOGICAL INFORMATION**

Very toxic to aquatic organisms, may cause long-term adverse effects to the aquatic environment.

**Effects on birds:** Fluazifop-p-butyl is practically nontoxic to bird species; the reported acute oral  $LD_{50}$  for the technical product in mallards is greater than 3528 mg/kg. The reported 5-day dietary  $LC_{50}$  in mallard duck is greater than 4321 ppm, and in bobwhite quail is greater than 4659 ppm.

**Effects on aquatic organisms:** Fluazifop-p-butyl may be highly to moderately toxic to fish, but only slightly toxic to other aquatic species, such as invertebrates. The reported 96-hour  $LC_{50}$  values for the technical product in fish species are 0.53 mg/L in bluegill sunfish and 1.37 mg/L in rainbow trout, indicating very high to high toxicity. The 48-hour  $LC_{50}$  in Daphnia magna is reported as greater than 10 mg/L, indicating only slight toxicity.

**Effects on other organisms:** The compound is of low toxicity to bees. Oral and contact  $LD_{50}$  values for bees are greater than 0.20 mg/bee.

#### Environmental Fate:

**Breakdown in soil and groundwater:** Fluazifop-p-butyl is of low persistence in moist soil environments, with a reported half-life in these conditions of less than 1 week. Fluazifop-p-butyl breaks down rapidly in moist soils to the fluazifop acid, which is also of low persistence. Fluazifop-p-butyl and fluazifop-p are both reported to be of low mobility in soils and not to present appreciable risks for groundwater contamination. The reported soil adsorption coefficient for fluazifop-p indicates a moderate to low affinity for soil.

**Breakdown in water:** Fluazifop-p-butyl is rapidly hydrolysed (cleaved apart by water) under most conditions to the fluazifop acid. It is relatively stable to breakdown by UV or sunlight, and non-volatile.

**Breakdown in vegetation:** After uptake by the leaves of plants, Fluazifop-p-butyl is rapidly broken down in the presence of water to fluazifop-p, which is translocated throughout the plant. The compound accumulates in the actively growing regions of the plant (meristems of roots and shoots, root rhizomes and stolons of grass), where it interferes with energy (ATP) production and cell metabolism in susceptible species.

## **SECTION 13 - DISPOSAL CONSIDERATIONS**

**Disposal:** Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 http://www.chemclear.com.au/ and for help with the disposal of empty drums, contact DrumMuster http://www.drummuster.com.au/ where you will find contact details for your area.

## **SECTION 14 - TRANSPORT INFORMATION**

# Not subject to the ADG Code when transported by Road or Rail in Australia, but classed as Dangerous by IATA and IMDG/IMSBC when carried by Air or Sea transport (see details below).

UN Number: 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Hazchem Code: •3Z Special Provisions: 170, 274 /

Special Provisions: 179, 274, 331, 335, AU01

Limited quantities: ADG 7 specifies a Limited Quantity value of 5 L for this class of product.

Dangerous Goods Class: Class 9: Miscellaneous Dangerous Goods.

Packaging Group: III

Packaging Method: P001, IBC03, LP01

Class 9 Miscellaneous Dangerous Goods shall not be loaded in the same vehicle or packed in the same freight container with Dangerous Goods of Class 1 (Explosives).

## SAFETY DATA SHEET

Issued by: Sinon Australia Pty Ltd

Phone: 03 5441 8907 (office hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

## **SECTION 15 - REGULATORY INFORMATION**

**AIIC:** All of the significant ingredients in this formulation are compliant with AICIS regulations. The following ingredients: Fluazifop, liquid hydrocarbon, are mentioned in the SUSMP.

## **SECTION 16 - OTHER INFORMATION**

#### This SDS contains only safety-related information. For other data see product literature.

Acronyms:		
ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 <sup>th</sup> edition)	
AIIC	Australian Inventory of Industrial Chemicals	
SWA	Safe Work Australia, formerly ASCC and NOHSC	
CAS number	Chemical Abstracts Service Registry Number	
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters	
IARC	International Agency for Research on Cancer	
NOS	Not otherwise specified	
NTP	National Toxicology Program (USA)	
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons	
UN Number	United Nations Number	
THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.		
IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS		
	ODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT ALSO AVAILABLE ON REQUEST.	

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (July 2020) and GHS Revision 7

Copyright © Kilford & Kilford Pty Ltd, April, 2023.

http://www.kilford.com.au/ Phone (02)8321 8866

SAFETY DATA SHEET